



CEPC 191

P23920.A20

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors : Y. MOROHASHI et al.

CERTIFICATE OF CORRECTIONS
BRANCH

Patent No. : 6,974,279

Issued: December 13, 2005

Appl. No. : 10/679,352

For : EJECTOR, FINE SOLID PIECE RECOVERY APPARATUS
AND FLUID CONVEYOR

COVER LETTER FOR REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Certificate
JUN 23 2006
of Correction

Sir:

Attached are a Request and a proposed Certificate of Correction in connection with the above-identified patent.

A check in the amount of \$100.00 is enclosed to cover the fee. The Commissioner is hereby authorized to charge any additional fees, or credit any overpayment, to Deposit Account No. 19-0089.

Respectfully submitted,
Y. MOROHASHI et al.

Bruce H. Bernstein
Reg. No. 29,027

Steven Wegman
Reg. No. 31,438

June 20, 2006
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

06/21/2006 SZEWDIE1 00000055 6974279

01 FC:1811

100.00 OP

006



P23920.A21

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors : Y. MOROHASHI et al.

Certificate of Corrections Branch

Patent No. : 6,974,279

Issued: December 13, 2005

Appl. No. : 10/679,352

Filed: October 7, 2003

For : EJECTOR, FINE SOLID PIECE RECOVERY APPARATUS
AND FLUID CONVEYOR

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following error appearing in the printed patent, which is apparently the fault of the inventors, as per the attached Certificate of Correction.

At column 9, line 56 (claim 5, line 12) of the printed patent, delete "centriugally". This appeared incorrectly on page 12, line 18 of the Response Under 37 C.F.R. 1.111 filed December 20, 2004.


Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:

At column 9, line 56 (claim 5, line 12) of the printed patent, delete "centriugally".

P23920.A21

Should there be any questions, the Examiner is invited to contact the undersigned at the below-listed number.

Respectfully submitted,
Y. MOROHASHI et al.

A handwritten signature in black ink, appearing to read "Bruce H. Bernstein", written over a horizontal line.

Bruce H. Bernstein
Reg. No. 29,027

June 20, 2006
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

Steven Wegman
Reg. No. 31,438

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 6,974,279
APPLICATION NO.: 10/679,352
ISSUE DATE : December 13, 2005
INVENTOR(S) : Y. MOROHASHI et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 9, line 56 (claim 5, line 12) of the printed patent, delete "centriugally".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

10/10/05 10:00b

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,974,279

Page 1 of 1

APPLICATION NO.: 10/679,352

ISSUE DATE : December 13, 2005

INVENTOR(S) : Y. MOROHASHI et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 9, line 56 (claim 5, line 12) of the printed patent, delete "centriugally".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

5000 2006